



In-Tank UV Filtered Water Dispenser

HC-175

- ◆ Stainless Steel Casing & Faucets
- ◆ Boiling/ Ambient/Chilled Water
- ◆ Boiling (5L), Chilled (5L) & Ambient (18L)
- ◆ Immersed In-Tank UV Sterilizing System
- ◆ Leakage Detect & Control
- ◆ Adjustable Water Temperature
- ◆ Water Temperature Display
- ◆ Built-in 4-Stage Nano Filtration System, or
- ◆ Reverse Osmosis (RO) System



Available Option: -

- ◆ Graphite Stripe / Stainless Steel Casing

System and/or Components



(W) 43 x (D) 45 x (H) 133 cm



In-Tank UV
 An UV Sterilizing System Immersed in
 Water Storage Tank of the Water Dispenser
 to Eliminate Bacteria (from the Air)
 Breeding in the Purified Water.

Features:

- ❑ Water Leakage Detection and Automatic Shut-off Control
- ❑ Immersed In-Tank UV Sterilizer prevents Bacteria Breeding
- ❑ UV Lamp failure Alarm Notification
- ❑ Indicators for Power, Water Level, Heating and Chilling
- ❑ Adjustable Hot and Chilled Water Temperature
- ❑ Quick Hot and Chilled Water Recovery
- ❑ Hot Water Temperature Display
- ❑ Automatic Shut-off Operation when empty boiling, over-heat, Power Leakage or Suspension of Power or Water Supply
- ❑ Automatic Water Inflow and Shut-off Control
- ❑ Large Splash-proof Drain Tray and High Dispensing Gap

Quality & Safety:

- ❑ Panasonic ELCB safety equipment
- ❑ Panasonic Compressor: Durable and Stable Cooling System
- ❑ Double Protection with 2 Thermostats: EGO(German) and WAKO(Japanese)
- ❑ Durable SUS#304 Stainless Steel Casing
- ❑ Hot Water Safety Lock
- ❑ Accessible Braille Design
- ❑ IEC and EMC Safety Certification

Specification:

Dimension:

(W) 430 x (D) 455 x (H) 1330 mm (± 5 mm)

Power Rating:

Voltage : 220-240V 50Hz

Heating Power : 1,200W

Chilling Power : 200W

Water Tank Capacity:

Hot (10 L), Chilled (5 L), Ambient (18 L)

Recovery Rate:

(Hot) 36 L/Hour, (Chilled) 20 L/Hour

Built-In Filtration System:

4-Stage Filters Nano Filtration (NF)

- ① Sediment Pre-Filter / 5 Microns
- ② GAC Carbon Pre-Filter
- ③ Hollow Fiber Membrane / 0.01 Micron
- ④ GAC Carbon Post Filter

Water Production Rate: 2 Liters per Minute

Water Pressure: 20 - 80psi

Made In Taiwan

